Biology of the Cell, **66** (1989) 339–341
© Elsevier, Paris

AUTHOR INDEX

A

Aelvoet I — *See* Erlij D *et al.*, 53
Alino S-F, Unda F-J, Perez-Yarza G & Canavate M-L, Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255
Amar-Costesec A — *See* Ripoche V *et al.*, 107 — *See* Ripoche V *et al.*, 115
Antras J, Hilliou F, Redziniak G & Pairault J, Decreased biosynthesis of actin and cellular fibronectin during adipose conversion of 3T3-F442A cells. Reorganization of the cytoarchitecture and extracellular matrix fibronectin, 247
Aratan-Spire S — *See* Leduque P *et al.*, 291

B

Barakat I, Bezamahouta C, Zanetta J-P & Vincendon G, Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317
Bartels H, Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165
Basmaciogullari A — *See* Leduque P *et al.*, 291
Beaufay H — *See* Ripoche V *et al.*, 107 — *See* Ripoche V *et al.*, 115
Beaujean V — *See* Crabbe J *et al.*, 173
Beauwens R — *See* Ripoche V *et al.*, 107 — *See* Ripoche V *et al.*, 115
Benali R, Dupuit F, Jacquot J, Fuchey C, Hinnrasky J, Ploton D & Puchelle E, Growth and characterization of isolated bovine tracheal gland cells in culture. Influence of a reconstituted basement membrane matrix, 263
Bernstein C — *See* Carvounis C P *et al.*, 43
Berthonaud V — *See* Tacnet F *et al.*, 121
Bezamahouta C — *See* Barakat I *et al.*, 317
Bouisset M — *See* Ripoche V *et al.*, 107
Bourguet J — *See* Calamita G *et al.*, 29 — *See* Hugon J S *et al.*, 77 — *See* Verbavatz J M *et al.*, 91 — *See* Favard P† *et al.*, 99
Buku A — *See* Eggena P, 1

C

Calamita G, Bourguet J, Hugon J S & Fischbarg J, Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29 — *See* Verbavatz J M *et al.*, 91
Canavate M-L — *See* Alino S-F *et al.*, 255
Capurro C, Escobar E, Ibarra C, Porta M & Parisi M, Water permeability in different epithelial barriers, 145
Carvounis C P, Carvounis G, Bernstein C & Oros M E, Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43
Carvounis G — *See* Carvounis C P *et al.*, 43
Casavola V — *See* Valenti G *et al.*, 85
Cavalier A — *See* Hubert J-F *et al.*, 155
Chevalier J — *See* Tacnet F *et al.*, 121 — *See* Dassouli A *et al.*, 131
Civan M M — *See* Tang C-S R *et al.*, 183
Cohen B J & Lechene C, (Na,K)-pump: cellular role and regulation in nonexcitable cells, 191
Coudrier E — *See* Tacnet F *et al.*, 121
Crabbe J, Beaujean V & Devuyst O, Stimulation by aldosterone of a conductive chloride pathway in toad skin, 173
Czernichow P — *See* Leduque P *et al.*, 291

D

Dacheux F — *See* Salesse R *et al.*, 297
Dassouli A, Gobin R, Grossetete J, Rouchon M, Ripoche P & Chevalier J, 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131
Devuyst O — *See* Crabbe J *et al.*, 173
Discala V A — *See* Shinowara N L *et al.*, 65
Dubois P-M — *See* Leduque P *et al.*, 291
Dupuit F — *See* Benali R *et al.*, 263

E

Eggena P — *** & Buku A, Synthesis and characterization of a long-acting fluorescent analog of vasotocin, 1 — *** & Ma C-L, Vasopressin-induced transfer *via* light vesicles of receptors and water channels from basolateral to apical membrane of toad bladder, 13
Erlij D — *See* Van Driessche W *et al.*, 37 — ***, Aelvoet I & Van Driessche W, Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53
Escobar E — *See* Capurro C *et al.*, 145

F

Favard N — *See* Favard P† *et al.*, 99
Favard P†, Favard N, Zhu Q L, Bourguet J & Lechaire J-P, A method of

isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99
Fischbarg J — *See* Calamita G *et al.*, 29
Franki N, Mosenkis B & Hays R M, Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19
Fuchey C — *See* Benali R *et al.*, 263
Fuge H, Traction fibres in chromosomes movement: the pros and cons, 209

G

Garnier J — *See* Salesse R *et al.*, 297
Genty N — *See* Salesse R *et al.*, 297
Gobin R — *See* Dassouli A *et al.*, 131
Gouranton J — *See* Hubert J-F *et al.*, 155
Grondin G — *See* Morisset J, 271 — *See* Morisset J, 279
Grossetete J — *See* Dassouli A *et al.*, 131

H

Hardy M A, Leonardi R T & Scheide J I, Cellular permeation pathways in a leaky epithelium: the human amniochorion, 149
Hays R M — *See* Franki N *et al.*, 19
Hilliou F — *See* Antras J *et al.*, 247
Hinnrasky J — *See* Benali R *et al.*, 263
Hirose A — *See* Yokota S *et al.*, 327
Hozak P, Novak J T & Smetana K, Three-dimensional reconstructions of nucleolus-organizing regions in PHA-stimulated human lymphocytes, 225
Hubert J-F, Thomas D, Cavalier A & Gouranton J, Structural and biochemical observations on specialized membranes of the "filter chamber", a water-shunting complex in sap-sucking homopteran insects, 155
Hugon J S — *See* Calamita G *et al.*, 29 — ***, Ibarra C, Valenti G & Bourguet J, Microtubules and actin microfilaments in the amphibian bladder granular cells, 77 — *See* Verbavatz J M *et al.*, 91

I

Ibarra C — *See* Hugon J S *et al.*, 77 — *See* Capurro C *et al.*, 145

J

Jacoby M — *See* Levine S D, 23
Jacquot J — *See* Benali R *et al.*, 263
Jovin T M — *See* Olins D E *et al.*, 235

K

Katz U — *See* Shpun S, 179
Kubat B, Lorenzen M & Reale E, Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59

L

Lechaire J-P — *See* Favard P† *et al.*, 99
Lechene C — *See* Cohen B J, 191
Leduque P, Aratan-Spire S, Scharfmann R, Basmaciogullari A, Czernichow P & Dubois P-M, Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291
Leonardi R T — *See* Hardy M A *et al.*, 149
Lesot H, Meyer J-M, Staubli A, Schmitt D A & Ruch J V, Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335
Levine S D & Jacoby M, Localization of barriers to water flow in toad urinary bladder, 23
Lorenzen M — *See* Kubat B *et al.*, 59

M

Ma C-L — *See* Eggena P, 13
Meyer J-M — *See* Lesot H *et al.*, 335
Mizugaki M — *See* Yokota S *et al.*, 327
Morisset J — *** & Grondin G, Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment: 1. Biochemical, morphological and morphometrical evaluations, 271 — *** & Grondin G, Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment. 2. Comparative analysis of the varous cell types and their growth, 279
Mosenkis B — *See* Franki N *et al.*, 19

N

Nagashunmugam T, Srinivas S & Shanmugam G, Effect of dimethyl sulfoxide on mouse embryo fibroblasts; inhibition of plasminogen activator inhibitor deposition and interference with early events of serum-stimulated growth, 307
Novak J T — *See* Hozak P *et al.*, 225

O

Olins A L — *See* Olins D E *et al.*, 235
Olins D E, Olins A L, Robert-Nicoud M, Jovin T M, Wehland J & Weber K, Differential distribution of α-tubulin isotopes in *Euplotes eurystomus* determined by confocal immunofluorescence microscopy, 235
Oros M E — *See* Carvounis C P *et al.*, 43

P

Pairault J — *See* Antras J *et al.*, 247
Palaia T A — *See* Shinowara N L *et al.*, 65
Parisi M — *See* Capurro C *et al.*, 145
Perez-Yarza G — *See* Alino S-F *et al.*, 255
Peterson-Yantorno K — *See* Tang C-S R *et al.*, 183
Ploton D — *See* Benali R *et al.*, 263
Porta M — *See* Capurro C *et al.*, 145
Puchelle E — *See* Benali R *et al.*, 263

R

Reale E — *See* Kubat B *et al.*, 59
Redziniak G — *See* Antras J *et al.*, 247
Ripoche P — *See* Tacnet F *et al.*, 121 — *See* Dassouli A *et al.*, 131
Ripoche V, Beauwens R, Bouisset M, Amar-Costesec A & Beaufay H,

Subcellular fractionation of epithelial cells from toad urinary bladder. 1. Assay of marker enzymes and differential centrifugation, 107 — ***, Amar-Costesec A, Beauwens R & Beaufay H, Subcellular fractionation of epithelial cells from toad urinary bladder. 2. Isopycnic centrifugation and effect of density perturbants, 115
Robert-Nicoud M — *See* Olins D E *et al.*, 235
Rouchon M — *See* Dassouli A *et al.*, 131
Ruch J V — *See* Lesot H *et al.*, 335

S

Salesse R, Dacheux F, Genty N & Garnier J, Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297
Satumtira N — *See* Yorio T, 7
Scharfmann R — *See* Leduque P *et al.*, 291
Scheide J I — *See* Hardy M A *et al.*, 149
Schmitt D A — *See* Lesot H *et al.*, 335
Shanmugam G — *See* Nagashunmugam T *et al.*, 307
Shinowara N L, Palaia T A & Discala V A, Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65
Shpun S & Katz U, Saturable urea transport pathway across the urinary bladder of *Bufo viridis* and salt acclimation, 179
Simaels J — *See* Van Driessche W *et al.*, 37
Smetana K — *See* Hozak P *et al.*, 225
Spirin A S & Vasiliev V D, Localization of functional centers on the prokaryotic ribosome: immuno-electron microscopy approach, 215
Srinivas S — *See* Nagashunmugam T *et al.*, 307
Staubli A — *See* Lesot H *et al.*, 335
Svelto M — *See* Valenti G *et al.*, 85

T

Tacnet F, Chevalier J, Coudrier E, Berthonaud V & Ripoche P, Neutral aminopeptidase: a potential marker enzyme of the amphibian urinary bladder epithelial cell apical membrane, 121
Tang C-S R, Peterson-Yantorno K & Civan M M, Coupling of volume and Na^+ transport in frog skin epithelium, 183
Thomas D — *See* Hubert J-F *et al.*, 155

V

Valenti G — *See* Hugon J S *et al.*, 77 — ***, Casavola V & Svelto M, Isolation of frog urinary bladder plasma membranes with polycation coated beads, 85
Van Driessche W — *** , Erlij D & Simaels J, Role of an apical cation-selective channel in function of tight epithelia, 37 — *See* Erlij D *et al.*, 53
Vasiliev V D — *See* Spirin A S, 215
Verbavatz J M, Calamita G, Hugon J S & Bourguet J, Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91
Vincendon G — *See* Barakat I *et al.*, 317

W

Weber K — *See* Olins D E *et al.*, 235
Wehland J — *See* Olins D E *et al.*, 235

Y

Yokota S, Hirose A & Mizugaki M, Immunocytochemical localization of Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. The effects of di-(2-ethylhexyl)phthalate, a peroxisome proliferator, 327
Yorio T & Satumtira N, Contribution of the vasopressin V_1 receptor to its hydrosmotic response, 7

Z

Zanetta J-P — *See* Barakat I *et al.*, 317
Zhu Q L — *See* Favard $P^{\dagger}$ *et al.*, 99

Biology of the Cell, **66** (1989) 342–346
© Elsevier, Paris

KEYWORD INDEX

A

Actin — Decreased biosynthesis of actin and cellular fibronectin during adipose conversion of 3T3-F442A cells. Reorganization of the cytoarchitecture and extracellular matrix fibronectin, 247

ADH — Isolation of frog urinary bladder plasma membranes with polycation coated beads, 85 — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Affinity chromatography — Isolation of frog urinary bladder plasma membranes with polycation coated beads, 85

Ag^+ — Role of an apical cation-selective channel in function of tight epithelia, 37

Aggregates — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65 — Isolation of frog urinary bladder plasma membranes with polycation coated beads, 85

Agnatha — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Aldosterone — Stimulation by aldosterone of a conductive chloride pathway in toad skin, 173

Aminopeptidase — Neutral aminopeptidase: a potential marker enzyme of the amphibian urinary bladder epithelial cell apical membrane, 121

Amnion — Cellular permeation pathways in a leaky epithelium: the human amniochorion, 149

Amphibian — Microtubules and actin microfilaments in the amphibian bladder granular cells, 77

Amphibian skin — Role of an apical cation-selective channel in function of tight epithelia, 37 — Stimulation by aldosterone of a conductive chloride pathway in toad skin, 173

Amphibian urinary bladder – Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91

Amphotericin B — Localization of barriers to water flow in toad urinary bladder, 23

Antidiuretic hormone — Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29 — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65 — Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91

Apical membrane — A method of isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99 — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Apical membrane isolation — Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91

Apical membrane potential — Coupling of volume and Na^+ transport in frog skin epithelium, 183

Apical Na^+ permeability — Coupling of volume and Na^+ transport in frog skin epithelium, 183

ATPase — (Na,K)-pump: cellular role and regulation in nonexcitable cells, 191

AVP — Contribution of the vasopressin V_1 receptor to its hydrosmotic

B

Basolateral K^+ conductance — Coupling of volume and Na^+ transport in frog skin epithelium, 183

Bladder — Microtubules and actin microfilaments in the amphibian bladder granular cells, 77

Bovine tracheal glandular cells — Growth and characterization of isolated bovine tracheal gland cells in culture. Influence of a reconstituted basement membrane matrix, 263

Bufo marinus — Localization of barriers to water flow in toad urinary bladder, 23

C

Ca^{2+} sensitivity — Role of an apical cation-selective channel in function of tight epithelia, 37

Caerulein treatment — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment: 1. Biochemical, morphological and morphometrical evaluations, 271

Cell polarity — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Cell potentials — Cellular permeation pathways in a leaky epithelium: the human amniochorion, 149

Cell proliferation — Effect of dimethyl sulfoxide on mouse embryo fibroblasts; inhibition of plasminogen activator inhibitor deposition and interference with early events of serum-stimulated growth, 307

Cell turnover — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment. 2. Comparative analysis of the varous cell types and their growth, 279

Chick — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Chloride conductance — Stimulation by aldosterone of a conductive chloride pathway in toad skin, 173

Choriogonadotropin — Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297

Chorion — Cellular permeation pathways in a leaky epithelium: the human amniochorion, 149

Chromosome — Traction fibres in chromosomes movement: the pros and cons, 209

Coated pits — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Confocal microscopy — Differential distribution of α-tubulin isotopes in *Euplotes eurystomus* determined by confocal immunofluorescence microscopy, 235

Cultures — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Cytoplasmic granules — Subcellular fractionation of epithelial cells from toad urinary bladder. 2. Isopycnic centrifugation and effect of density perturbants, 115

D

Δ^3,Δ^2-enoyl-CoA isomerase — Immunocytochemical localization of Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. The effects of di-(2-ethylhexyl)phthalate, a peroxisome proliferator, 327

Dental cells — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Differentiation — Decreased biosynthesis of actin and cellular fibronectin during adipose conversion of 3T3-F442A cells. Reorganization of the cytoarchitecture and extracellular matrix fibronectin, 247

Direct visualization — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Distal human colon — Water permeability in different epithelial barriers, 145

Divalent cations — Role of an apical cation-selective channel in function of tight epithelia, 37

DMSO — Effect of dimethyl sulfoxide on mouse embryo fibroblasts; inhibition of plasminogen activator inhibitor deposition and interference with early events of serum-stimulated growth, 307

Dorsal root ganglia — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Down-regulation — Vasopressin-induced transfer *via* light vesicles of receptors and water channels from basolateral to apical membrane of toad bladder, 13

E

Engelbreth Holm Swarm matrix — Growth and characterization of isolated bovine tracheal gland cells in culture. Influence of a reconstituted basement membrane matrix, 263

Enzymes — Subcellular fractionation of epithelial cells from toad urinary bladder. I. Assay of marker enzymes and differential centrifugation, 107

Epithelial cell culture — Growth and characterization of isolated bovine tracheal gland cells in culture. Influence of a reconstituted basement membrane matrix, 263

Epithelial cells — Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91 — A method of isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99 — Subcellular fractionation of epithelial cells from toad urinary bladder. 1. Assay of marker enzymes and differential centrifugation, 107 — Subcellular fractionation of epithelial cells from toad urinary bladder. 2. Isopycnic centrifugation and effect of density perturbants, 115

Euplotes — Differential distribution of α-tubulin isotopes in *Euplotes eurystomus* determined by confocal immunofluorescence microscopy, 235

F

Facilitated diffusion — Saturable urea transport pathway across the urinary bladder of *Bufo viridis* and salt acclimation, 179

Fibrillar center — Three-dimensional reconstructions of nucleolus-organizing regions in PHA-stimulated human lymphocytes, 225

Fibronectin — Decreased biosynthesis of actin and cellular fibronectin during adipose conversion of 3T3-F442A cells. Reorganization of the cytoarchitecture and extracellular matrix fibronectin, 247

Filter chamber — Structural and biochemical observations on specialized membranes of the "filter chamber", a water-shunting complex in sap-sucking homopteran insects, 155

Force generation — Traction fibres in chromosomes movement: the pros and cons, 209

Forskolin — Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19

Freeze-fracture — Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29 — Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59 — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65 — Isolation of large sheets of apical material from frog urinary bladder epithelial cells by freeze-fracture, 91

Freshwater osmoregulation — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Frog skin — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53

Frog urinary bladder — Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29

Functional centers — Localization of functional centers on the prokaryotic ribosome: immuno-electron microscopy approach, 215

G

Gill epithelium — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Glucose transport inhibitors — Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29

Glycoprotein (240 kDa) — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Granule exocytosis — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

H

Human amnion — Water permeability in different epithelial barriers, 145

Hydrosmotic response — Synthesis and characterization of a long-acting fluorescent analog of vasotocin, 1

Hypotonic cell swelling — Coupling of volume and Na^+ transport in frog skin epithelium, 183

I

IgM — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Immune electron microscopy — Localization of functional centers on the prokaryotic ribosome: immuno-electron microscopy approach, 215

Immunocytochemical localization — Immunocytochemical localization of Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. The effects of di-(2-ethylhexyl)phthalate, a peroxisome proliferator, 327

Immunocytochemistry — Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291 — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Immunogold cytochemistry — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Impedance — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53

in vitro — Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291

Indomethacin — Are laminin binding sites on tumor cell surface involved

in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

Insulin — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53 — Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291

Internalization — Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297

Intracellular calcium — Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43

Intracellular Na^+ concentration — Coupling of volume and Na^+ transport in frog skin epithelium, 183

Intracellular potassium — Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43

Intramembrane particle aggregates — Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59

Intramembrane particles — Structural and biochemical observations on specialized membranes of the "filter chamber", a water-shunting complex in sap-sucking homopteran insects, 155

Ionic gradients — (Na,K)-pump: cellular role and regulation in nonexcitable cells, 191

Isolated collecting duct — Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59

Isolation — A method of isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99

K

Kinetochore microtubules — Traction fibres in chromosomes movement: the pros and cons, 209

L

Label-fracture — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Labeling index — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment. 2. Comparative analysis of the varous cell types and their growth, 279

Laminin — Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

Laminin receptors — Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

Laminin synthetic peptide — Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

Lampreys — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Leydig cells — Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297

Lutropin — Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297

Lutropin receptor — Dual internalization pathway for lutropin and choriogonadotropin in porcine Leydig cells in primary culture, 297

M

Membrane capacitance — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53

Membrane proteins — Structural and biochemical observations on specialized membranes of the "filter chamber", a water-shunting complex in sap-sucking homopteran insects, 155 — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Membrane separation — Neutral aminopeptidase: a potential marker enzyme of the amphibian urinary bladder epithelial cell apical membrane, 121

Membrane structure — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Membrane ultrastructure and function — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65

Microfilaments — Microtubules and actin microfilaments in the amphibian bladder granular cells, 77

Microtubule lateral interactions — Traction fibres in chromosomes movement: the pros and cons, 209

Microtubules — Microtubules and actin microfilaments in the amphibian bladder granular cells, 77

Mitochondria — Immunocytochemical localization of Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. The effects of di-(2-ethylhexyl)phthalate, a peroxisome proliferator, 327

Mitochondria-rich cells — Stimulation by aldosterone of a conductive chloride pathway in toad skin, 173

Mitotic apparatus — Traction fibres in chromosomes movement: the pros and cons, 209

Monensin — Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19

Monoclonal antibody — Direct visualization of an IgM directed against a membrane antigen involved in both cell matrix interactions and microfilament organization, 335

Morphological changes — Effect of dimethyl sulfoxide on mouse embryo fibroblasts; inhibition of plasminogen activator inhibitor deposition and interference with early events of serum-stimulated growth, 307

Morphology — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment: 1. Biochemical, morphological and morphometrical evaluations, 271

Morphometry — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment: 1. Biochemical, morphological and morphometrical evaluations, 271

Mounting technique — Saturable urea transport pathway across the urinary bladder of *Bufo viridis* and salt acclimation, 179

N

(Na,K)-pump — (Na,K)-pump: cellular role and regulation in nonexcitable cells, 191

Natural cytotoxicity — Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

Nucleolus — Three-dimensional reconstructions of nucleolus-organizing regions in PHA-stimulated human lymphocytes, 225

Nucleolus-organizing regions — Three-dimensional reconstructions of nucleolus-organizing regions in PHA-stimulated human lymphocytes, 225

O

Orthogonal arrays — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65

Oxytocin — Role of an apical cation-selective channel in function of tight epithelia, 37

P

PAI-1 secretion — Effect of dimethyl sulfoxide on mouse embryo fibroblasts; inhibition of plasminogen activator inhibitor

deposition and interference with early events of serum-stimulated growth, 307

Pancreas growth — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment: 1. Biochemical, morphological and morphometrical evaluations, 271 — Dynamics of pancreatic tissue cells in the rat exposed to long-term caerulein treatment. 2. Comparative analysis of the varous cell types and their growth, 279

Pancreatic islets — Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291

Pavement cell — Freeze-fracture study of the pavement cell in the lamprey gill epithelium. Analogy of membrane structure with the granular cell in the amphibian urinary bladder, 165

Phorbol esters — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53

Photolabeling vasotocin receptors — Vasopressin-induced transfer *via* light vesicles of receptors and water channels from basolateral to apical membrane of toad bladder, 13

Prokaryotic ribosome — Localization of functional centers on the prokaryotic ribosome: immuno-electron microscopy approach, 215

Prostaglandins — Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43

R

Rabbit kidney — Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59

Rat brain — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

Rat caecum — Water permeability in different epithelial barriers, 145

Rat liver — Immunocytochemical localization of Δ^3,Δ^2-enoyl-CoA isomerase in rat liver. The effects of di-(2-ethylhexyl)phthalate, a peroxisome proliferator, 327

Receptor distribution — Vasopressin-induced transfer *via* light vesicles of receptors and water channels from basolateral to apical membrane of toad bladder, 13

S

Sodium-calcium exchange — Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43

Stripping with gelatin — A method of isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99

Subcellular fractionation — Subcellular fractionation of epithelial cells from toad urinary bladder. 1. Assay of marker enzymes and differential centrifugation, 107 — Subcellular fractionation of epithelial cells from toad urinary bladder. 2. Isopycnic centrifugation and effect of density perturbants, 115

Synaptic junction — Differential expression of 240 kDa ConA-binding glycoprotein *in vitro* and *in vivo* detected by immunochemical methods, 317

T

3T3 preadipocytes — Decreased biosynthesis of actin and cellular fibronectin during adipose conversion of 3T3-F442A cells. Reorganization of the cytoarchitecture and extracellular matrix fibronectin, 247

Three-dimensional reconstructions — Three-dimensional reconstructions of nucleolus-organizing regions in PHA-stimulated human lymphocytes, 225

Toad bladder — Synthesis and characterization of a long-acting fluorescent analog of vasotocin, 1 — Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19 — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65 — Water permeability in different epithelial barriers, 145

Toad urinary bladder — Subcellular fractionation of epithelial cells from toad urinary bladder. 1. Assay of marker enzymes and differential centrifugation, 107 — Subcellular fractionation of epithelial cells from toad urinary bladder. 2. Isopycnic centrifugation and effect of density perturbants, 115 — Neutral aminopeptidase: a potential marker enzyme of the amphibian urinary bladder epithelial cell apical membrane, 121

TRH — Coexistence of thyrotropin-releasing hormone and insulin in cultured fetal rat islets: a light and electron microscopic immunocytochemical study during islet neoformation, 291

Tubulin tyrosination — Differential distribution of α-tubulin isotopes in *Euplotes eurystomus* determined by confocal immunofluorescence microscopy, 235

Tumor target cells — Are laminin binding sites on tumor cell surface involved in the indomethacin-induced sensitivity to natural cytotoxic cells? 255

U

Urea permeability — Saturable urea transport pathway across the urinary bladder of *Bufo viridis* and salt acclimation, 179

Urinary bladder — Role of an apical cation-selective channel in function of tight epithelia, 37 — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53 — A method of isolation of apical membranous sheets from frog urinary bladder epithelium by stripping with gelatin, 99

V

V_1 receptor — Contribution of the vasopressin V_1 receptor to its hydrosmotic response, 7

Vasopressin — Synthesis and characterization of a long-acting fluorescent analog of vasotocin, 1 — Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19 — Localization of barriers to water flow in toad urinary bladder, 23 — Water flow in the toad urinary bladder in response to vasopressin: role of potassium, 43 — Vasopressin-induced intramembrane particle aggregates. A dose-response relationship in the isolated cortical collecting duct of the rabbit kidney, 59

Vasotocin receptor — Synthesis and characterization of a long-acting fluorescent analog of vasotocin, 1

W

Water and urea diffusion — Cellular permeation pathways in a leaky epithelium: the human amniochorion, 149

Water channels — Intramembrane particle structures in epithelial cells of the toad urinary bladder: a quantitative freeze-fracture study, 65

Water flow — Contribution of the vasopressin V_1 receptor to its hydrosmotic response, 7 — Evidence that monensin inhibits vasopressin-stimulated water flow at an early step in the receptor-adenylate cyclase sequence, 19

Water pathways — 76 and 14 kDa polypeptides, two major components released from amphibian urinary bladder epithelium. Localization and potential role, 131

Water permeability — Vasopressin-induced transfer *via* light vesicles of receptors and water channels from basolateral to apical membrane of toad bladder, 13 — Neutral aminopeptidase: a potential marker enzyme of the amphibian urinary bladder epithelial cell apical membrane, 121 — Structural and biochemical observations on

specialized membranes of the "filter chamber", a water-shunting complex in sap-sucking homopteran insects, 155

Water transport — Localization of barriers to water flow in toad urinary bladder, 23 — Inhibition of the hydrosmotic response to antidiuretic hormone by 3,3'-diallyldiethylstilbestrol (DADES), 29 — Exocytotic events unrelated to regulation of water permeability in amphibian tight epithelia: effects of oxytocin, PMA and insulin on membrane capacitance, water and Na^+ transport, 53 — Isolation of frog urinary bladder plasma membranes with polycation coated beads, 85

ERRATUM

The names of the authors of the manuscript entitled «Size-related differences in the branching pattern of the motor nerve terminals in triangularis sterni muscle of the mouse» (*Biol. Cell* 65 (1989) 271–280) should have read as Follows: Josep Tomas i Ferre, Rosa Fenoll i Brunet, Manel Santafe and Emili Mayayo.